


Electric Motors For Hydraulic Power Units



**C-Flange Mount
With Base**

**C-Flange Mount
Round Body**



A Proud Member Of The



WorldWide Electric Corporation



Electric Motors For Hydraulic Power Units

C-Flange Mount With Base

HP	RPM	Voltage	Frame Size	Enclosure	Model Number	List Price *
1	1800	208-230/460	143TC	TEFC	WWE1-18-143TC	\$258.50
1.5	1800	208-230/460	145TC	TEFC	WWE1.5-18-145TC	\$324.79
2	1800	208-230/460	145TC	TEFC	WWE2-18-145TC	\$338.06
3	1800	208-230/460	182TC	TEFC	WWE3-18-182TC	\$437.44
5	1800	208-230/460	184TC	TEFC	WWE5-18-184TC	\$528.56
5	1200	208-230/460	215TC	TEFC	WWE5-12-215TC	\$890.63
7.5	1800	208-230/460	213TC	TEFC	WWE7.5-18-213TC	\$735.33
7.5	1200	208-230/460	254TC	TEFC	WWE7.5-12-254TC	\$1,111.46
10	1800	208-230/460	215TC	TEFC	WWE10-18-215TC	\$813.56
10	1200	208-230/460	256TC	TEFC	WWE10-12-256TC	\$1,512.00
15	1800	208-230/460	254TC	TEFC	WWE15-18-254TC	\$1,272.50
15	1200	208-230/460	284TC	TEFC	WWE15-12-284TC	\$1,898.54
20	1800	208-230/460	256TC	TEFC	WWE20-18-256TC	\$1,370.89
20	1200	208-230/460	286TC	TEFC	WWE20-12-286TC	\$2,283.58
25	1800	208-230/460	284TC	TEFC	WWE25-18-284TC	\$1,853.44
25	1200	208-230/460	324TC	TEFC	WWE25-12-324TC	\$2,756.21
30	1800	208-230/460	286TC	TEFC	WWE30-18-286TC	\$1,955.72
30	1200	208-230/460	326TC	TEFC	WWE30-12-326TC	\$3,235.54
40	1800	208-230/460	324TC	TEFC	WWE40-18-324TC	\$2,575.67
50	1800	208-230/460	326TC	TEFC	WWE50-18-326TC	\$3,285.06
50	1200	208-230/460	365TC	TEFC	WWE50-12-365TC	\$5,183.71
60	1800	208-230/460	364TC	TEFC	WWE60-18-364TC	\$4,218.17
60	1200	208-230/460	404TC	TEFC	WWE60-12-404TC	\$6,087.50
75	1800	208-230/460	365TC	TEFC	WWE75-18-365TC	\$4,876.50
75	1200	208-230/460	405TC	TEFC	WWE75-12-405TC	\$6,462.50
100	1800	208-230/460	405TC	TEFC	WWE100-18-405TC	\$5,649.78
100	1200	208-230/460	444TC	TEFC	WWE100-12-444TC	\$9,358.33
125	1800	208-230/460	444TC	TEFC	WWE125-18-444TC	\$7,313.33
125	1200	208-230/460	445TC	TEFC	WWE125-12-445TC	\$11,666.67
150	1800	208-230/460	445TC	TEFC	WWE150-18-445TC	\$7,932.38
150	1200	208-230/460	447TC	TEFC	WWE150-12-447TC	\$13,508.33



Hydraulic "Power Pack Motors"



High Efficiency
cCSA_{US} Certified
ISO9001
CE Mark
CC006A

Standards Of
Excellence

All Cast Iron Frame
Ribbed Design For
Maximum Cooling

Class F
Winding
Insulation

All Ratings
Totally Enclosed
Fan Cooled

SKF Brand
Premium Quality
Ball Bearings

All Steel
Fan Cover
(Cast Iron Available)

Standard
NEMA
"C" Flange

All Cast Iron
Junction Box
With Rubber Gasket
And Rubber Dust Curtain

V-Ring
Shaft Seals On
Drive-End and
Opposite Drive-End

Solid All Cast
Iron Mounting
Feet On Motors
With Base

Standard NEMA
"TC" Frame




ISO9001



CC006A

Electric Motors For Hydraulic Power Units



C-Flange Mount Round Body



**We Can Sell These
Premium-
Quality C-Flange
Motors To
Qualified
Distributors and
Select OEMs At
Prices Way Below
Market Levels!**

**Same Specifications As
Foot Mount Ratings**

HP	RPM	Voltage	Frame Size	Enclosure	Model Number	List Price *
1	1800	208-230/460	143TC	TEFC	WWE1-18-143TCRD	\$234.13
1.5	1800	208-230/460	145TC	TEFC	WWE1.5-18-145TCRD	\$293.50
2	1800	208-230/460	145TC	TEFC	WWE2-18-145TCRD	\$338.48
3	1800	208-230/460	182TC	TEFC	WWE3-18-182TCRD	\$438.11
5	1800	208-230/460	184TC	TEFC	WWE5-18-184TCRD	\$529.29
7.5	1800	208-230/460	213TC	TEFC	WWE7.5-18-213TCRD	\$721.63
10	1800	208-230/460	215TC	TEFC	WWE10-18-215TCRD	\$814.77
15	1800	208-230/460	254TC	TEFC	WWE15-18-254TCRD	\$1,248.96
20	1800	208-230/460	256TC	TEFC	WWE20-18-256TCRD	\$1,318.57
25	1800	208-230/460	284TC	TEFC	WWE25-18-284TCRD	\$1,875.31
30	1800	208-230/460	286TC	TEFC	WWE30-18-286TCRD	\$1,889.77

* Prices In This Brochure Are List - Please Call For Your Multiplier

Page 3



Electric Motors For Hydraulic Power Units

Performance Data *

HP	RPM	Voltage	Frame Size	Full Load Current At 230V (A)	Full Load Current At 460V (A)	Full Load Torque (Lb. Ft.)	Locked Rotor Torque (%)	Break-down Torque (%)	Efficiency 100%	Power Factor 100%	Service Factor	Approx. Weight (Lbs.)
1	1800	208-230/460	143TC	3.0	1.5	3.00	250%	350%	82.5%	0.71	1.15	58
1.5	1800	208-230/460	145TC	4.2	2.1	4.41	240%	320%	84.0%	0.74	1.15	60
2	1800	208-230/460	145TC	5.4	2.7	6.05	230%	290%	84.0%	0.77	1.15	70
3	1800	208-230/460	182TC	7.72	3.86	9.07	280%	330%	87.5%	0.81	1.15	90
5	1800	208-230/460	184TC	11.8	5.9	15.1	270%	310%	87.5%	0.84	1.15	110
5	1200	208-230/460	215TC	13.6	6.8	22.2	170%	240%	87.5%	0.72	1.15	175
7.5	1800	208-230/460	213TC	18.6	9.3	22.0	200%	330%	89.5%	0.81	1.15	160
7.5	1200	208-230/460	254TC	21.2	10.6	32.9	230%	300%	89.5%	0.71	1.15	300
10	1800	208-230/460	215TC	24.8	12.4	30.1	200%	300%	89.5%	0.83	1.15	180
10	1200	208-230/460	256TC	28.0	14.0	44.8	220%	300%	89.5%	0.74	1.15	340
15	1800	208-230/460	254TC	35.4	17.7	43.7	170%	270%	91.0%	0.84	1.15	325
15	1200	208-230/460	284TC	38.4	19.2	65.5	200%	270%	90.2%	0.78	1.15	410
20	1800	208-230/460	256TC	47.6	23.8	59.7	170%	260%	91.0%	0.84	1.15	370
20	1200	208-230/460	286TC	51.8	25.9	89.4	180%	240%	90.2%	0.80	1.15	440
25	1800	208-230/460	284TC	56.4	28.2	73.6	170%	240%	92.4%	0.87	1.15	420
25	1200	208-230/460	324TC	60.0	30.0	110	180%	270%	91.7%	0.77	1.15	580
30	1800	208-230/460	286TC	67.2	33.6	87.4	170%	270%	92.4%	0.88	1.15	470
30	1200	208-230/460	326TC	70.8	35.4	131	170%	260%	91.7%	0.78	1.15	610
40	1800	208-230/460	324TC	93.0	46.5	119	190%	290%	93.0%	0.86	1.15	590
50	1800	208-230/460	326TC	114.6	57.3	147	180%	280%	93.0%	0.86	1.15	650
50	1200	208-230/460	365T	116.6	58.3	220	170%	250%	93.0%	0.81	1.15	680
60	1800	208-230/460	364TC	139.4	69.7	179	180%	270%	93.6%	0.85	1.15	780
60	1200	208-230/460	404TC	142	71.0	266	180%	250%	93.6%	0.83	1.15	1035
75	1800	208-230/460	365TC	172.8	86.4	221	180%	240%	94.1%	0.84	1.15	870
75	1200	208-230/460	405TC	178	89.0	325	180%	240%	93.6%	0.84	1.15	1100
100	1800	208-230/460	405TC	230	115	296	200%	290%	94.5%	0.87	1.15	1350
100	1200	208-230/460	444TC	238	119	443	160%	260%	94.1%	0.82	1.15	1970
125	1800	208-230/460	444TC	274	137	355	170%	250%	94.5%	0.86	1.15	1500
125	1200	208-230/460	445TC	282	141	532	150%	240%	94.1%	0.81	1.15	2100
150	1800	208-230/460	445TC	326	163	433	180%	250%	95.0%	0.87	1.15	1630
150	1200	208-230/460	447TC	342	171	650	160%	250%	95.0%	0.83	1.15	2200



Hydraulic “Power Pack Motors”



ISO9001



CC006A

**Certified Drawings and Specification Sheets
Immediately Available On All Motor Ratings**

**Please Contact Your
WorldWide Electric Dealer**

*“The Leader In Providing High Quality,
Low Cost, Sourced Motors”*